

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION	NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/786,818		02/24/2004	David R. Sosnowski	03-ASD-209 (SR)	5099	
200	7590	08/10/2005		EXAMINER		
EATON	I CORPO	RATION	DEB, ANJAN K			
	CENTER PERIOR A			ART UNIT	PAPER NUMBER	
CLEVE	CLEVELAND, OH 44114			2858		
				DATE MAILED: 08/10/2005	DATE MAILED: 08/10/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

			A·H
()22 () () () ()	Application No.	Applicant(s)	
SUPPLEMENTAL	10/786,818	SOSNOWSKI ET AL	
Notice of Allowability	Examiner	Art Unit	
	Anjan K. Deb	2858	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in or other appropriate commu IGHTS. This application is so	this application. If not include nication will be mailed in due of	d course. THIS
1. \boxtimes This communication is responsive to <u>Supplemental IDS file</u>	ed 07/22/2005.		
2. The allowed claim(s) is/are <u>1-4</u> .			
3. \boxtimes The drawings filed on <u>03 May 2004</u> are accepted by the E	xaminer.		
4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") muerical including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR reach sheet. Replacement sheet(s) should be labeled as such in the certification of the deposition of t	e been received. e been received in Application ocuments have been received of this communication to file MENT of this application. Initted. Note the attached EXA res reason(s) why the oath or set be submitted. Son's Patent Drawing Review. Is Amendment / Comment or 1.84(c)) should be written on the header according to 37 CF. Doit of BIOLOGICAL MATE	n No I in this national stage application this national stage application are ply complying with the requirement of the complex and the complex and the complex action of the drawings in the front (not the R 1.121(d). ERIAL must be submitted. Note that the complex action of the complex action of the complex action of the R 1.121(d).	uirements OTICE OF
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 07/22/2005) 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview St Paper No./ 08), 7. Examiner's	formal Patent Application (PTC ummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allo	

Page 2

DETAILED ACTION

1. This office action is in response to Supplemental IDS filed 07/22/2005.

Allowable Subject Matter

2. Claims 1-4 are allowed.

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

The primary reason for allowance of the claims is the inclusion of: (f) measuring the fluid temperature (Ti) and determining FZTiMIN by interpolation from the database; and (g) exciting one electrode with an alternating current voltage at a frequency less than FZTiMIN and measuring the current in a second electrode and computing the electrode interfacial impedance Zs and computing the impedance difference ($\Delta Z = Zs - ZNM$).

Pertinent Art

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Schilowitz et al. disclose method of monitoring fluid condition in situ [para 0020,0022]] comprising (a) measuring and recording the temperature of the fluid (Fig. 3); (b) disposing

Application/Control Number: 10/786,818

Art Unit: 2858

electrodes in the fluid and exciting one electrode with an alternating current voltage and sweeping the frequency thereof over a certain range [para 0020, 0023]; (c) measuring the current (charge)[0023] in a second electrode and computing the reactance (Z") and resistance (Z') at a plurality of predetermined intervals of frequency in the range [para 0025]; (d) determining the frequency in said range associated with the minimum value of reactance (Fig. 3); and (e) repeating steps a - d for a predetermined number of temperature intervals (70,90,120) over a selected range of temperatures (70-120) and compiling a database of values (FZToMIN) for each temperature interval in the range (Fig. 3); and (h) determining the fluid condition by interpolation from a database of values (Nyquist plot) of known fluid condition.

Schilowitz et al. does not disclose (f) measuring the fluid temperature (Ti) and determining FZTiMIN by interpolation from the database; and (g) exciting one electrode with an alternating current voltage at a frequency less than FZTiMIN and measuring the current in a second electrode and computing the electrode interfacial impedance Zs and computing the impedance difference ($\Delta Z = Zs - ZNM$).

Lyovich et al. (US 6,861,851 B2) disclose method for on-line monitoring of quality and condition of fluid comprising repeatedly applying alternating current voltage at a plurality of frequencies and measuring changes in the electrical response signals due to changes in the real and reactive impedance of the fluid to determine fluid condition. Lyovich et al. does not disclose measuring the fluid temperature (Ti) and determining FZTiMIN by interpolation from the database and computing the impedance difference ($\Delta Z = Zs - ZNM$), exciting one electrode with

Art Unit: 2858

an alternating current voltage at a frequency less than FZTiMIN, and computing the impedance difference ($\Delta Z = Zs - ZNM$).

Hu (US 2004/0239344 A1) discloses method of monitoring fluid condition in situ (online) [para 0008] comprising disposing electrodes 11 in fluid and exciting one electrode with an alternating current voltage and measuring real and reactive impedance of the fluid by sweeping the frequency thereof over a certain range of frequencies in the range (0.1 Hz to 1 Mhz) and analyzing the impedance spectrum using pattern recognition algorithm which compares impedance spectra stored in memory to determine fluid condition. Hu does not disclose measuring the fluid temperature (Ti) and determining FZTiMIN by interpolation from the database and computing the impedance difference ($\Delta Z = Zs - ZNM$), exciting one electrode with an alternating current voltage at a frequency less than FZTiMIN, and computing the impedance difference ($\Delta Z = Zs - ZNM$).

Lin (US 2005/0017738 A1) discloses method of monitoring fluid condition (Diesel engine lubrication oil) by applying alternating current voltage in a range of frequencies, measuring current at each frequency in the range of frequencies, and determining the frequency at which the value of current is maximum (Fig. 4), and measuring oil temperature so as to compensate for temperature variations in the measurement current. Lin does not disclose measuring the fluid temperature (Ti) and determining FZTiMIN by interpolation from the database and computing the impedance difference ($\Delta Z = Zs - ZNM$), exciting one electrode with

Application/Control Number: 10/786,818

Art Unit: 2858

an alternating current voltage at a frequency less than FZTiMIN, and computing the impedance difference ($\Delta Z = Zs - ZNM$).

Page 5

Schachameyer et al. (US 6,844,745 B1) discloses method of determining fluid condition of diesel engine lubricant in-situ (during real time operation) comprising applying alternating current voltage to electrodes 20,22 in a range of frequencies (Hi,Lo), measuring the current in electrode, and computing electrode interfacial impedance Zs, and computing the impedance difference ($\Delta Z = Zs - Bulk$ Fluid Impedance) for correlating with fluid condition X. Schachameyer et al. does not disclose (f) measuring the fluid temperature (Ti) and determining FZTiMIN by interpolation from the database; and (g) exciting one electrode with an alternating current voltage at a frequency less than FZTiMIN and measuring the current in a second electrode and computing the electrode interfacial impedance Zs and computing the impedance difference ($\Delta Z = Zs - ZNM$).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/786,818

Art Unit: 2858

Contact Information

Page 6

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Anjan K. Deb whose telephone number is 571-272-2228. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lefkowitz Edwards can be reached at 571-272-2180.

Anjan K. Deb

Tel: 571-272-2228

Patent Examiner

Fax: 571-273-2228

Art Unit: 2858

E-mail: anjan.deb@uspto.gov

8/8/05